

ITEM 106673 C-M08F08-08X014PU20,0-ES-106673

| Description | Technical data | Accessories | Downloads |
|-------------|----------------|-------------|-----------|
|-------------|----------------|-------------|-----------|



Features

- › M8 female plug, 8-pin
- › Straight plug connector
- › PUR cable
- › Cable length 20 m
- › With flying lead



Mechanical values and environment

| | |
|----------------------|--------|
| Tightening torque | 0,3 Nm |
| Number of conductors | 8 |
| Cable length | 20 m |

Electrical connection ratings





| | |
|---------------|------|
| Rated voltage | 30 V |
| Rated voltage | 36 V |

Dimension drawing



Catalogs

- ✓ Transpondercodierte Sicherheitsschalter - Verriegelungseinrichtungen und Zuhaltungen
Transponder-coded safety switches - Interlocking devices and guard locking devices
Interruptores de seguridad con codificación por transponder - Dispositivos de enclavamiento y bloqueos
Interrupteurs de sécurité à codage par transpondeur - Dispositifs de verrouillage et interverrouillages

| | Doc. no. | Version | Language | Download |
|---|----------|----------|---|--|
| Transpondercodierte Sicherheitsschalter - Verriegelungseinrichtungen und Zuhaltungen | 127594 | 02-01/18 |  |  5.2 MB |
| Interrupteurs de sécurité à codage par transpondeur - Dispositifs de verrouillage et interverrouillages | 137558 | 02-01/18 |  |  5.2 MB |

| | | | | |
|--|--------|----------|---|--|
| Interruptores de seguridad con codificación por transponder - Dispositivos de enclavamiento y bloqueos | 137560 | 02-01/18 |  |  5.2 MB |
| Transponder-coded safety switches - Interlocking devices and guard locking devices | 127595 | 02-01/18 |  |  5.1 MB |