

ITEM 123098 EKS-A-K1OGWT32-EU

Description	Technical data	Accessories	Downloads
-------------	----------------	-------------	-----------



Features

- › Memory 116 bytes E²PROM (programmable) plus 8 bytes ROM (serial number)

Special features

- › The Electronic-Key contains a unique 8-byte serial number. This number is written by laser during the Electronic-Key production process and is stored absolutely indestructibly. The serial number is used for secure distinction of every single Electronic-Key.

Approvals




Mechanical values and environment

Housing material	ABS, orange
Ambient temperature	-20 ... 60 °C
Degree of protection	IP67

Electrical connection ratings









Power supply	inductive via Electronic-Key adapter
Length of serial number	8 B Serial number read only
Number of read cycles	max.unbegrenzt
Number of write cycles	max.100000
Storage capacity	116 B Read / write
Data retention time	At +55°Cmax.10 y

Dimension drawing



Catalogs

✓ Electronic-Key-System EKS Electronic-Key-System EKS Electronic-Key-System EKS Electronic-Key-System EKS

	Doc. no.	Version	Language	Download
Electronic-Key-System EKS	086808	14-04/17		 3.2 MB
Electronic-Key-System EKS	092953	14-04/17		 3.2 MB
Electronic-Key-System EKS	114432	14-04/17		 3.2 MB
Electronic-Key-System EKS	086809	14-04/17		 3.2 MB