

## Datasheet - RST 36-1-R

Safety sensors / RSS 36 / Actuator RST 36



- Actuation from side
- with latching magnet
- Simple flexible mounting and adjustment

(Minor differences between the printed image and the original product may exist!)

### Ordering details

Product type description	RST 36-1-R
Article number	101213821
EAN Code	4030661405292
notice	Sensor and actuator must be ordered separately.
eCl@ss	27-27-92-17

### Approval

Approval



### Global Properties

Permanent light	Betätiger
Materials	
- Material of the actuator	Plastic
Weight	

### Mechanical data

Active area	lateral
with latching magnet (Y/N)	Yes

### Dimensions

Dimensions of the actuators	
- Width of the actuator	91
- Height of the actuator	25
- Length of the actuator	22

### Documents

**Operating instructions and Declaration of conformity** (it) 462 kB, 04.10.2017

Code: mrl\_rss36-rst36-1\_it

**Operating instructions and Declaration of conformity** (pl) 520 kB, 14.08.2018

Code: mrl\_rss36-rst36-1\_pl

**Operating instructions and Declaration of conformity** (fr) 503 kB, 23.05.2018

Code: mrl\_rss36-rst36-1\_fr

**Operating instructions and Declaration of conformity** (en) 497 kB, 17.09.2018

Code: mrl\_rss36-rst36-1\_en

**Operating instructions and Declaration of conformity** (nl) 498 kB, 14.08.2018

Code: mrl\_rss36-rst36-1\_nl

**Operating instructions and Declaration of conformity** (de) 453 kB, 18.04.2018

Code: mrl\_rss36-rst36-1\_de

**Operating instructions and Declaration of conformity** (es) 503 kB, 24.05.2018

Code: mrl\_rss36-rst36-1\_es

**Operating instructions and Declaration of conformity** (pt) 505 kB, 23.05.2018

Code: mrl\_rss36-rst36-1\_pt

**Operating instructions and Declaration of conformity** (cn) 667 kB, 23.11.2018

Code: mrl\_rss36-rst36-1\_cn

**Operating instructions and Declaration of conformity** (jp) 577 kB, 22.08.2017

Code: mrl\_rss36-rst36-1\_jp

**notice - Switch distance** (it) 163 kB, 26.09.2016

Code: mrl\_rss36-beiblatt-schaltabstand\_it

**notice - Switch distance** (en) 211 kB, 20.09.2016

Code: mrl\_rss36-beiblatt-schaltabstand\_en

**notice - Switch distance** (de) 220 kB, 26.09.2016

Code: mrl\_rss36-beiblatt-schaltabstand\_de

**notice - Switch distance** (nl) 157 kB, 23.09.2016

Code: mrl\_rss36-beiblatt-schaltabstand\_nl

**notice - Switch distance** (es) 158 kB, 26.09.2016

Code: mrl\_rss36-beiblatt-schaltabstand\_es

**notice - Switch distance** (pl) 167 kB, 12.12.2016


Code: mrl\_rss36-beiblatt-schaltabstand\_pl

**notice - Switch distance** (fr) 156 kB, 26.09.2016

Code: mrl\_rss36-beiblatt-schaltabstand\_fr

## Images

---



Dimensional drawing (basic component)

---

K.A. Schmersal GmbH & Co. KG, Mödinghofe 30, D-42279 Wuppertal

The data and values have been checked thoroughly. Technical modifications and errors excepted.

Generiert am 13.02.2019 - 14:29:48h Kasbase 3.3.0.F.64I