TwinCAT 3 Base

TC1210 | TC3 PLC/C++

Extension of the TwinCAT PLC TC1200 with additional C++ functionalities:

– online connection to PLC/C++ runtime system locally or worldwide via TCP/IP or via fieldbus
– online monitoring of variables in variable lists, watch windows and editors without setting break points
– online setting of variables

Technical data	TC1210
Target system	Windows 7/8/10 (Windows CE is not supported)

Ordering information	
TC1210-0v30	TC3 PLC/C++, platform 30 (Economy Plus)
TC1210-0v40	TC3 PLC/C++, platform 40 (Performance)
TC1210-0v50	TC3 PLC/C++, platform 50 (Performance Plus)
TC1210-0v60	TC3 PLC/C++, platform 60 (Mid Performance)
TC1210-0v70	TC3 PLC/C++, platform 70 (High Performance)
TC1210-0v80	TC3 PLC/C++, platform 80 (Very High Performance)
TC1210-0v81	TC3 PLC/C++, platform 81 (Many-core 5…8 Cores)
TC1210-0v82	TC3 PLC/C++, platform 82 (Many-core 9…16 Cores)
TC1210-0v83	TC3 PLC/C++, platform 83 (Many-core 17…32 Cores)
TC1210-0v84	TC3 PLC/C++, platform 84 (Many-core 33…64 Cores)
TC1210-0v90	TC3 PLC/C++, platform 90 (Other)
TC1210-0v91	TC3 PLC/C++, platform 91 (Other 5…8 Cores)
TC1210-0v92	TC3 PLC/C++, platform 92 (Other 9…16 Cores)
TC1210-0v93	TC3 PLC/C++, platform 93 (Other 17…32 Cores)
TC1210-0v94	TC3 PLC/C++, platform 94 (Other 33…64 Cores)