


ITEM 079785 RIEGEL NZ/TZ-S1/CF

Description	Technical data	Accessories	Downloads
-------------	----------------	-------------	-----------



Features

- › Aluminum bolt
- › For doors hinged on the left
- › Escape release
- › Spring catch in open position
- › Can be locked in open position with padlocks
- › Actuator included

Advantages

- › Robust construction
- › Easy screw mounting
- › No additional door handle necessary

Special features

- › After the door is opened, the actuator is automatically withdrawn into the bolt by a built-in return spring.
- ›
 - › The operator is protected. When the door is open there is no risk of injury due to protruding actuator.
 - › The actuator is protected. When hinged doors are closed it is ensured

that the actuator is not used as an end stop.

- › The lever for escape release only enables the doors to be **opened** from inside the danger area.













Mechanical values and environment

Material	Handle	Plastic
	Housing	Aluminum
	Sliding	Aluminum
Weight	Net	1 kg
Escape release		Yes

Miscellaneous

Detent mechanism	No
------------------	----

Dimension drawing

	Doc. no.	Version	Language	Download
Sicherheitsschalter mit Metallgehäuse	100319	11-03/18		 7.9 MB
Interrupteurs de sécurité avec boîtier métallique	100676	11-03/18		 7.9 MB
Interruptores de seguridad con carcasa metálica	104856	11-03/18		 14.0 MB
Safety Switches with Metal Housing	100369	11-03/18		 7.9 MB
Bezpečnostní spínače s kovovým pouzdem	121650	11-03/18		 7.9 MB
金属壳体 的安全开关	102453	11-03/18		 8.2 MB

CAD data

CAD data for this item on TraceParts