

ITEM 123583 BTC-CES04-S-TH-21-F-123583

Description	Technical data	Accessories	Downloads
-------------	----------------	-------------	-----------



Features

- › Aluminum bolt
- › For doors hinged on the left or right
- › Escape release
- › Detent knob in open position
- › Spring catch in closed position
- › Can be locked in open position with padlocks

Advantages

- › Robust construction
- › Easily fitted to standard aluminum profiles and machine covers by screw connection
- › Distinctive yellow color for easy recognition
- › No additional door handle necessary

Notes

- › The bolts are suitable for safety switches series **CES-C04**
- › Order safety switch separately
- › Order actuator separately

Special features

- › Bolt with detent mechanism
- › The bolt latches in open position to prevent unintentional closing of the bolt.

Mechanical values and environment

Material	Handle	Aluminum
	Guide strips	Aluminum
	Base plate	Aluminum
	Switch bracket	Aluminum
Weight	Net	1 kg
	Escape release	Yes
Number of safety switches that can be fitted		1



Miscellaneous

Detent mechanism	Open position	Bolt detent mechanism
	Closed position	Clamping latch

Dimension drawing

Catalogs

- ▼ Transpondercodierte Sicherheitsschalter - Verriegelungseinrichtungen und Zuhaltungen
Transponder-coded safety switches - Interlocking devices and guard locking devices
Interruptores de seguridad con codificación por transponder - Dispositivos de enclavamiento y bloqueos
Interrupteurs de sécurité à codage par transpondeur - Dispositifs de verrouillage et interverrouillages

	Doc. no.	Version	Language	Download
Transpondercodierte Sicherheitsschalter - Verriegelungseinrichtungen und Zuhaltungen	127594	02-01/18		 5.2 MB
Interrupteurs de sécurité à codage par transpondeur - Dispositifs de verrouillage et interverrouillages	137558	02-01/18		 5.2 MB
Interruptores de seguridad con codificación por transponder - Dispositivos de enclavamiento y bloqueos	137560	02-01/18		 5.2 MB
Transponder-coded safety switches - Interlocking devices and guard locking devices	127595	02-01/18		 5.1 MB