

**ITEM 115535 VERLAENGERUNGSLEITUNG 10M/35POL/MET**

Description	Technical data	Accessories	Downloads
-------------	----------------	-------------	-----------



**Features**

- › Flange plug connector with socket contacts, 35-pin
- › Plug connector with male contacts, 35-pin
- › Bayonet plug lock
- › PUR cable
- › Cable length 10 m, straight

**Mechanical values and environment**


Sheath material	PUR
Drag chain suitability	No
Ambient temperature	Dynamic -10 ... +70 °C static -40 ... +80 °C
Number of conductors	35
Type of cable	straight
Cable length	10 m
Cable diameter	8 mm

Conductor cross-section	0.14 mm <sup>2</sup>
Bending radius	
static	≥ 10 x cable diameter
Dynamic	≥ 15 x cable diameter
Interlocking	
Flange plug connector/plug connector	Bayonet
	<b>Connection 1</b>
Degree of protection	IP 67 [1]
Designation of plug connector	UT00
Connection	Flange plug connector
Connection type	Socket contacts
Cable outlet	straight
Number of pins	35
Plug lock	Bayonet
	<b>Connection 2</b>
Degree of protection	IP 67 [2]
Designation of plug connector	UT06
Connection	Plug connector
Connection type	Male contact
Cable outlet	straight
Number of pins	35
Plug lock	Bayonet

---

[1, 2] In the inserted state

## Dimension drawing



## Legende

- 1 Flange plug connector with socket contacts
- 2 Plug connector with male contacts

**View of cable cross-section**

