

**ITEM 157025 AC-MC-SB-F-B-157025**

Description	Technical data	Accessories	Downloads
-------------	----------------	-------------	-----------



**Features**

- › Module plug connector MLI, straight
- › Directly pluggable (without thread)
- › Number of pins: 5-pin, socket

**Mechanical values and environment**

Weight	Net	0,05 kg
Ambient temperature		-25 ... 90 °C
		<b>Connection 1</b>
Degree of protection		IP65 [1]
Insertion cycles		100
Connection		2x M4 screws
Connection type		Socket
Number of pins		5
Plug housing material		Plastic
		<b>Connection 2</b>

Degree of protection	IP65 [2]
Type specification	EUCHNER
Insertion cycles	100
Connection	Connector (unlocked)
Connection type	Socket
Number of pins	5
Plug housing material	Plastic



### Electrical connection ratings

Rated voltage	30 V
Nominal current	
	At 40°C 4 A
Rated voltage	36 V
Degree of contamination according to EN 60664-1	3

[1] Only in the screwed tight state with the related mating component.


[2] Only in the inserted state with the related mating component.

**Dimension drawing**











5:1

**Dimension drawing**



**Catalogs**

✓ Multifunctional Gate Box MGB2 Modular Multifunctional Gate Box MGB2 Modular Multifunctional Gate Box MGB2 Modular Multifunctional Gate Box MGB2 Modular

	<b>Doc. no.</b>	<b>Version</b>	<b>Language</b>	<b>Download</b>
Multifunctional Gate Box MGB2 Modular	159037	02-09/18		 14.3 MB
Multifunctional Gate Box MGB2 Modular	159050	02-09/18		 14.4 MB
Multifunctional Gate Box MGB2 Modular	159051	02-09/18		 14.4 MB
Multifunctional Gate Box MGB2 Modular	159039	02-09/18		 14.4 MB