

#### AO98E045

#### **LED-LIGHTS • MACHINE AND BENCH LIGHTS**

LED lights are required in nearly every industrial sector. A lighting coordinated on the respective workplace ensures a better visibility, increases the production quality, the working safety and helps additionally to safe energy costs. Their long lifetime, which is independent of switching cycles, reduces maintenance costs and increases the availability. LED lights are used for the illumination of workplaces, work areas of machines, control cabinets and several other fields of application.



### **MECHANICAL DATA**

Ambient temperature	-20 °C 40 °C
Degree of protection (IP)	IP65
Diameter	65 mm
Front screen material	Borosilicate glass
Housing design	Special construction
Housing material	Aluminium
Length	127 mm
With magnetic foot	Yes

### **ELECTRICAL DATA**


Lamp power	5 W
Max. current consumption	210 mA
Nominal supply voltage	12 V 12 V
Number of pins	4
On/Off switch	No
Reverse polarity protection	Yes
Type of electrical connection	Connector M12
Voltage type	DC

# **OPTICAL DATA**

Light source	Cold white
Number of LEDs	3
Radiation angle	30 °



### **DIMENSIONAL DRAWING**



### **INSTALLATION**



Mounting / Installation may only be carried out by a qualified electrician!

### **DISPOSAL**



# **SAFETY WARNINGS**

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information!