



MZ0721A1

No-load current

Operating voltage

Relative repeat accuracy

Sensor surface (active)

Setting via teach-in

Short-circuit-proof

Reverse polarity protection

Reed contact

Number of switching outputs

MAGNETIC SENSORS • SENSORS FOR PNEUMATIC CYLINDERS

For many tasks in the field of automation technology, it is necessary to recognize the motional processes in pneumatic and hydraulic cylinders and to detect the position of the piston with precision. For this, magnetic cylinder sensors are used.



MECHANICAL DATA Ambient temperature -25 °C ... 70 °C Cable length 5 m IP67 Degree of protection (IP) Housing design Cuboid Zinc die-cast Housing material Increased ambient temperatures > 80°C No Material of cable sheath PUR (Polyurethane) Metal housing Yes Mounting access, cylinder groove Lateral Number of wires 3 6.3 mm Sensor height Sensor length 30 mm Sensor surface position Border area of the device Sensor width 6.2 mm Strong vibration / motion Yes **ELECTRICAL DATA** Cross/short circuit identification possible No Hysteresis 1 mm Low sensitivity No Low switching hysteresis Yes Max. output current 150 mA

15 mA

10 V ... 30 V

Border area / edge area

1

No

Yes

No

No

0.1 mm

IPF ELECTRONIC


ELECTRICAL DATA

Suitable for safety functions	No
Switching frequency	1000 Hz
Two switching points	No
Type of electrical connection	Cable
Type of switching function	Normally open contact
Type of switching output	PNP
Voltage drop	2 V
Voltage type	DC
With LED display	Yes
With monitoring function of downstream devices	No

OTHER DATA

Cylinder sensors	Yes
Cylinder version	With T-groove
Harsh environmental conditions	Yes
Metallic sensor surface	No
Oil and cooling lubricants	Yes
Short travel path	No

CONNECTION



Colors: BN (brown), BU (blue), BK (black) **Functions:** BN = L+, BU = L-, BK = PNP NO

DIMENSIONAL DRAWING

INSTALLATION



Mounting / Installation may only be carried out by a qualified electrician!

DISPOSAL



SAFETY WARNINGS

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information!