Datasheet - NKF2-10/10Z-B-2M

Foot switch / NKF2

(Minor differences between the printed image and the original product may exist!)

- Design double-pedal type
- Compact, flat design
- Modern and symmetric design
- with Pre-wired cable, 2 m
- Contact versions consisting of switch-over or NO contacts
- 2 Contacts

Ordering details

Product type description	NKF2-10/10Z-B-2M
Article number	103003078
EAN Code	
eCl@ss	27-37-12-18

Approval

Approval	cULus

Global Properties

Permanent light	NKF2
Standards	IEC/EN 60947-5-1
Compliance with the Directives (Y/N) CE	Yes
Suitable for safety functions (Y/N)	No
Materials	
- Material of the housings	shock-proof thermoplastic
- Material of the pedal	ABS thermoplastic
Colouring	
- Enclosure color	RAL 9006 (White aluminum)
Weight	
Colour of the pedal	RAL 9005 (Black)
Protection hood (Y/N)	No

Mechanical data

Design of electrical connection	Pre-wired cable
Mechanical life	> 1.000.000 operations

Cable length	2

Ambient conditions

Ambient temperature	
- Min. environmental temperature	−25
- Max. environmental temperature	+60
Protection type IP	IP67 to IEC/EN 60529

Electrical data

Design of control element	Normally open contact (NO)
Switching principle	Snap switch element
Number of shutters	1/1
Number of change over contact	0
Utilisation category	AC-15: 230 V / 2,5 A, DC-13: 24 V / 1 A
Max. fuse rating	4 A gG D-fuse

Dimensions

Dimensions	
- Width	215
- Height	49
- Depth	138

Documents

Operating instructions and Declaration of conformity (fr) 574 kB, 25.01.2017
Code: mrl_nkf_fr

Operating instructions and Declaration of conformity (en) 562 kB, 11.01.2017
Code: mrl_nkf_en

Operating instructions and Declaration of conformity (pt) 573 kB, 25.01.2017
Code: mrl_nkf_pt

Operating instructions and Declaration of conformity (it) 560 kB, 25.01.2017
Code: mrl_nkf_it

Operating instructions and Declaration of conformity (cs) 538 kB, 12.12.2018
Code: mrl_nkf_cs

Operating instructions and Declaration of conformity (nl) 570 kB, 08.02.2017
Code: mrl_nkf_nl

Operating instructions and Declaration of conformity (pl) 608 kB, 22.03.2017
Code: mrl_nkf_pl

Operating instructions and Declaration of conformity (de) 501 kB, 12.12.2018
Code: mrl_nkf_de

Operating instructions and Declaration of conformity (jp) 690 kB, 18.09.2017
Code: mrl_nkf_jp

Operating instructions and Declaration of conformity (es) 567 kB, 25.01.2017
Code: mrl_nkf_es

Brochure (en) 643 kB, 21.10.2014
Code: b_nkf01_en

Brochure (de) 2 MB, 17.10.2014
Code: b_nkf01_de

Brochure (fr) 645 kB, 08.12.2014
Code: b_nkf01_fr

Brochure (pt) 643 kB, 02.12.2014
Code: b_nkf01_pt

Brochure (es) 643 kB, 04.11.2014
Code: b_nkf01_es

Images



Dimensional drawing (basic component)