

## Datasheet - RM40S-1C

Safety sensors / BNS 40S / Accessories



- Door stop with magnetic latching
- combinable from all sides
- Latching force mounting-dependent
- Stainless steel enclosure
- Insensitive to soiling
- Suitable for food processing industry

(Minor differences between the printed image and the original product may exist!)

### Ordering details

Product type description	RM40S-1C
Article number	103004893
EAN Code	
eCl@ss	

### Approval

Approval	-
----------	---

### Global Properties

Permanent light	Magnetic door stop
Materials	
- Material of the housings	Stainless steel
Weight	400
Concealed threaded holes on the back (Y/N)	No / Yes

### Mechanical data

Active area	lateral, angled
Latching force	25 / 35

### Dimensions

---

## Dimensions

- Width	88
- Height	27
- Depth	14.5

## Ordering code

---

RM40S-(1)

(1)

*without*

**C**

**1C**

1 , 1

## Documents

---

**Mounting and wiring instructions** (fr) 200 kB, 17.03.2015

Code: mrl\_rm40s\_fr

**Mounting and wiring instructions** (pl) 244 kB, 16.12.2014

Code: mrl\_rm40s\_pl

**Mounting and wiring instructions** (de) 201 kB, 05.12.2014

Code: mrl\_rm40s\_de

**Mounting and wiring instructions** (jp) 256 kB, 30.06.2015

Code: mrl\_rm40s\_jp

**Mounting and wiring instructions** (es) 200 kB, 16.12.2014

Code: mrl\_rm40s\_es

**Mounting and wiring instructions** (it) 198 kB, 16.12.2014

Code: mrl\_rm40s\_it

**Mounting and wiring instructions** (nl) 207 kB, 20.07.2018

Code: mrl\_rm40s\_nl

**Mounting and wiring instructions** (pt) 201 kB, 17.03.2017


Code: mrl\_rm40s\_pt

**Mounting and wiring instructions** (en) 227 kB, 08.07.2015

Code: mrl\_rm40s\_en

## Images

---



Application

---



Application

---

K.A. Schmersal GmbH & Co. KG, Mödinghofe 30, D-42279 Wuppertal

The data and values have been checked thoroughly. Technical modifications and errors excepted.

Generiert am 13.02.2019 - 14:26:53h Kasbase 3.3.0.F.64I